

Centrifugal Pump Sungshin Hasco

APOLLO

POSEIDON

TITAN

HERCULES



The POSEIDON is a medium- sized tank pump that is designed to be installed with general air conditioners and condensing boilers.

● Feature

Floor or Wall

Optional

1/4-Turn

Thermally

5. 3 Inlet Holes
(30mmΦ)

6. CE / ETL
Certified

● Technical Specification

Division	Contents
Power Supply	220~230 V 50/60 Hz
Ambient Temperature	0 °C ~ 50 °C
Thermal Protection	Cut-out at 130 °C as per Each Model

MD600 - 6M

[Performance]

Model	Power Supply	Performance(ℓ/hr@Height in Meter)					Max. Lift		Amps	Watts
		0	2	4	6	8	Meter	Ft		
	220 V 60 Hz	444 ℓ/h	300 ℓ/h	234 ℓ/h	120 ℓ/h	-	6.0 m	20	0.98 A	95
MD600	230 V 50 Hz	402 ℓ/h	264 ℓ/h	204 ℓ/h	-	-	5.5 m	18	1.63 A	117.2
	120 V 60 Hz	396 ℓ/h	276 ℓ/h	234 ℓ/h	120 ℓ/h	-	6.0 m	20	1.38 A	78.4

Model	Weight	Tank Capacity	O.D of Outlet
MD600	1.93 kg	1.8 ℓ	3/8"