**sax2020**

# CONTENT

# AR

Augmented Reality, often shortened to AR, is a technology that blends digital information into the real world. For more information, please click here or directly try yourself by scanning the QR code with your phone.





Please scan the QR code above and open on AR-enabled device.

There is a possibility that the configuration will fail. If that happens, please try a different product.

# 3D view



## HOW TO ACTIVATE 3D?

To activate the interactive 3D view in Acrobat Reader, you need to select, at the top of the page, **Options** and then **Trust this document**

**Zoom**

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.

**Pan**

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.

**Rotate**

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

# CAD plugins

With our CAD integrations, you can use 3Dfindit directly in your CAD system and make your work easier with additional comfort functions, such as replacing a part and many more.



## To the plugins

**sax2020**

## 2D derivation



## ISO view



## Bill-Of-Materials

| N° | Description | Amount |
|---|---|---|
| 1.1 | SAX61P03 Ventilantrieb 800N 20mm(0) | 1 |

Technical drawings

sax2020

# Technical data

| | |
|---|---|
| LOD (LoG Level) | 200 |
| SA010ID04 (Manufacturer's name) | Siemens Building Technologies EUROPEAN Portfolio |
| SA700ID04 (Product description) | SAX61P03 Valve Actuator 800N 20mm |
| SA110ID05 (Type (ASN)) | SAX61P03 |
| LODLEVEL (Level of detail) | 200 |
| PREVIEW (Preview) | ../../_pool_/20/b9/sax20312e002f312e032f812e002f812e032f20612e0320p03.png |
| SA100ID04 (Actuator type) | electromotive |
| SA700ID05 (nominal/operating voltage / V) | 24 |
| SA700ID06 (type of nominal/operating voltage) | AC |
| SA700ID09 (nominal frequency (according to DIN EN 50160) / Hz) | 50/60 |
| SA700ID12 (maximum power consumption AC (in starting state) / VA) | 8 |
| SA700ID29 (Protection class A) | IP54 |
| SA700ID38 (lock against rotation) | no |
| SA700ID20 (maximum temperature of medium / °C) | 120 |
| SA700ID22 (minimum temperature of medium / °C) | 1 |
| SA700ID24 (maximum ambient temperature / °C) | 55 |
| SA700ID25 (minimum ambient temperature / °C) | 5 |
| SA700ID26 (allowable ambient humidity (in operation) / % rF) | 95 |
| SA700ID27 (condensation allowable) | no |
| SA700ID32 (mass (net) / kg) | 1.78 |
| SA71006ID04 (Length / mm) | 242 |
| SA71006ID05 (Width / mm) | 153 |
| SA71006ID06 (Height / mm) | 124 |
| LINK () | http://www.siemens.com/btproduct?S55150-A114 |
| SA740ID04 () | |
| SA810ID03 (Order number) | S55150-A114 |
| SA810ID04 (Datanorm number) | S55150-A114 |
| SA810ID06 (GTIN number) | 7612914075185 |
| SA810ID10 (Description text) | Electromotoric actuator, 500 N, 20 mm, AC/DC 24 V, DC 0…10 V / DC 4…20 mA, 30 s |
| SA810ID14 (Quantity unit) | PCE |
| SA810ID15 (Quantity per packaging unit) | 1 |
| SA810ID16 (Name of the packaging unit) | NMP |

| | |
|---|---|
| SA010ID06 (Manufacturer's web address) | http://www.siemens.com/buildingtechnologies |
| SUPPORTLINK (Supportlink) | https://support.industry.siemens.com/cs/ww/en/ps/25261 |
| SA010ID12 (Status of the manufacturer's catalog) | 20210607 |
| ETIMCLASSC (ETIM classcode) | EC011290 |
| ETIMCLASSN (ETIM classname) | Electric servomotor |
| IFCEXPORT (IfcExportAs) | IfcActuator.USERDEFINED |
| OMNICLASSNU (OmniClass number) | 23-27 33 11 |
| OMNICLASS (OmniClass title) | Electrical Valve Actuators |
| UNICLASSC (Uniclass code) | Pr_75_50_18_94 |
| SA010ID02 (Sheet number of the guideline) | 24 |
| SA810ID030 (Search number) | SAX61P03_S55150-A114 |

**sax2020**

# E-Learning

Discover free training for 3Dfindit, the search engine for engineers, designers, and architects. Our 30 to 50-minute interactive courses provide you with comprehensive knowledge about the platform. Upon successful completion, you will receive a certificate. Start your first course now and master 3Dfindit!



Learn more

Start course