





# CONTENT

Augmented Reality (AR) - Digital meets real	2
3D preview of SKC	3
Integrate Siemens Building Technologies EUROPEAN Portfolio catalog inside your CAD System	4
2D derivations and Bill-Of-Material (BOM)	5
Technical drawings	6
Technical data	7
Get a free E-Learning training for Siemens Building Technologies EUROPEAN Portfolio catalog	8









## AR

Augmented Reality, often shortened to AR, is a technology that blends digital information into the real world. For more information, please click here or directly try yourself by scanning the QR code with your phone.













Please scan the QR code above and open on AR-enabled device.

There is a possibility that the configuration will fail. If that happens, please try a different product.








#### 3D view





# **HOW TO ACTIVATE 3D?**

To activate the interactive 3D view in Acrobat Reader, you need to select, at the top of the page, Options and then Trust this document



**€** Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag



Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.








# **CAD** plugins

With our CAD integrations, you can use 3Dfindit directly in your CAD system and make your work easier with additional comfort functions, such as replacing a part and many more.



To the plugins










ISO view



Bill-Of-Materials

N°	Description	Amount
1.1	SKC62/MO Ventilantrieb 2800N Modbus	1







Technical drawings







## Technical data

SA010ID04 (Manufacturer's name)	Siemens Building Technologies EUROPEAN Portfolio
SA700ID04 (Product description)	SKC62/MO Valve actuator 2800N Modbus
SA110ID05 (Main product group)	SKC62/MO
LODLEVEL (LOD Level)	Low
PREVIEW (Preview)	//bilder/3003.png
BUSPROTOKOLL (Bus protocol)	
SA100ID04 (Drive type)	electromotive
SA500ID03 (Range of application)	
SA300ID03 (Mechanical power transmission)	
SA700ID05 (nominal/operating voltage / V)	
SA700ID06 (type of nominal/operating voltage)	AC
SA700ID07 (minimum operating voltage (lower	
functioning limit) / V)	
SA700ID08 (maximum operating voltage (upper functioning limit) / V)	24
SA700ID09 (nominal frequency (according to DIN EN 50160) / Hz)	50/60
SA700ID12 (maximum power consumption AC (in starting state) / VA)	
SA700ID29 (Protection class)	IP54
SA700ID38 (lock against rotation)	no
SA700ID20 (maximum temperature of medium / °C)	220
SA700ID24 (maximum ambient temperature / °C)	55
SA700ID25 (minimum ambient temperature / °C)	-15
SA700ID26 (allowable ambient humidity (in operation) / % rF)	
SA700ID27 (condensation allowable)	no
SA700ID32 (mass (net) / kg)	0
SA71006ID04 (Length / mm)	178
SA71006ID05 (Width / mm)	226
SA71006ID06 (Height / mm)	375
LINK ()	http://www.siemens.com/btproduct?S55195-A128
SA740ID04 ()	
SA810ID03 (Manufacturer's reference number)	S55195-A128
SA810ID04 (Datanorm number)	S55195-A128
SA810ID06 (GTIN number)	4047625009342
SA810ID10 (Description text)	Electrohydraulic actuators 2800 N for valves with 40 mm stroke, Modbus RTU







SUPPORTLINK (Supportlink)	https://support.industry.siemens.com/cs/ww/en/ps/25261
ETIMCLASSC (ETIM Classcode)	EC011290
ETIMCLASSN (ETIM Classname)	Electric servomotor
IFCEXPORT (IfcExportAs)	IfcActuator.ELECTRICACTUATOR
OMNICLASSNU (OmniClass number)	Pr_75_50_18_94
OMNICLASS (OmniClass title)	23-27 33 11
UNICLASSC (Uniclass code)	Electrical Valve Actuators







# E-Learning

Discover free training for 3Dfindit, the search engine for engineers, designers, and architects. Our 30 to 50-minute interactive courses provide you with comprehensive knowledge about the platform. Upon successful completion, you will receive a certificate. Start your first course now and master 3Dfindit!



Learn more

Start course