



VPP46

CONTENT

Augmented Reality (AR) - Digital meets real	
3D preview of VPP46	3
Integrate Siemens Building Technologies EUROPEAN Portfolio catalog inside your CAD System	4
2D derivations and Bill-Of-Material (BOM)	5
Technical drawings	6
Technical data	7
Get a free E-Learning training for Siemens Building Technologies EUROPEAN Portfolio catalog	8






VPP46

AR

Augmented Reality, often shortened to AR, is a technology that blends digital information into the real world. For more information, please click here or directly try yourself by scanning the QR code with your phone.













Please scan the QR code above and open on AR-enabled device.

There is a possibility that the configuration will fail. If that happens, please try a different product.





VPP46

3D view





HOW TO ACTIVATE 3D?

To activate the interactive 3D view in Acrobat Reader, you need to select, at the top of the page, Options and then Trust this document



€ Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.





VPP46

CAD plugins

With our CAD integrations, you can use 3Dfindit directly in your CAD system and make your work easier with additional comfort functions, such as replacing a part and many more.




To the plugins







2D derivation



ISO view



Bill-Of-Materials

N°	Description	Amount
1.1	VPP46.10L0.2Q Kombiventil DN10 200 l/h	1







Technical drawings







Technical data

SA010ID04 (Manufacturer's name)	Siemens Building Technologies EUROPEAN Portfolio
SA700ID26 (Product description)	VPP46.10L0.2Q Combi valve DN10 200 l/h
SA110ID05 (Main product group)	VPP46.10L0.2Q
PREVIEW (Preview)	.//bilder/a6v10334304.png
LODLEVEL (Level of detail)	Low
SA700ID04 (Valve assembly type)	shut-off and control valve assemblies
SA700ID28 (nominal dimension)	10
SA700ID06 (/ m³/h)	0
SA700ID30 (Nominal pressure PN)	25
SA71012ID04 (Length / mm)	67
SA71012ID05 (Width / mm)	38
SA71012ID06 (Height / mm)	123.3
SA71012ID08 (mass (net) / kg)	0.4
SA700ID07 (Maximum operating temperature / °C)	110
SA400ID03 (Body material)	brass
LINK ()	http://www.siemens.com/btproduct?S55264-V105
SA810ID03 (Manufacturer order number)	S55264-V105
SA810ID04 (Datanorm number)	S55264-V105
SA810ID06 (GTIN number)	7612914084149
SA810ID10 (Description text)	Combi valves, PN25, DN10, 30200 l/h, pressure test points
SA810ID14 (Units of quantity)	PCE
SA810ID15 (Quantity per packaging unit)	1
SA010ID06 (Manufacturer's web address)	http://www.siemens.com/buildingtechnologies
SUPPORTLINK (Supportlink)	https://support.industry.siemens.com/cs/ww/en/ps/25261
SA010ID12 (Status of the manufacturer's catalog)	20210514
ETIMCLASSC (ETIM Classcode)	EC011312
ETIMCLASSN (ETIM Classname)	Pressure-compensated control valve
IFCEXPORT (IfcExportAs)	lfcValve.REGULATING
OMNICLASSNU (OmniClass number)	23-27 31 25
OMNICLASS (OmniClass title)	Gate Valves
UNICLASSC (Uniclass code)	Pr_65_54_95_33
SA010ID02 (Blattnummer der Richtlinie)	2
SA010ID03 (Date of issue (month) of the standard)	200111
INFO (Information about export to accessory combination)	When selecting accessory combination, please select export format "Autodesk Revit Instance+Family 20XX (3D)"!
ACCESSORY 1 (Accessories: Antriebe)	-







E-Learning

Discover free training for 3Dfindit, the search engine for engineers, designers, and architects. Our 30 to 50-minute interactive courses provide you with comprehensive knowledge about the platform. Upon successful completion, you will receive a certificate. Start your first course now and master 3Dfindit!



Learn more

Start course